FORM PTO 1390

US DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. §371

ATTORNEY DOCKET NUMBER 2001_0572A

U.S. OP PLYA BONT 452

International Application No. PCT/JP99/06309

International Filing Date November 12, 1999 Priority Date Claimed November 12, 1998

Title of Invention

PROTEIN AMSH AND cDNA THEREOF

Applicant(s) For DO/EO/US

Kazuo SUGAMURA and Nobuyuki TANAKA

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

- 1. [X] This is a FIRST submission of items concerning a filing under 35 U.S.C. §371.
- 2. {] This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. §371.
- 3. [] This express request to begin national examination procedures (35 U.S.C. §371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. §371(b) and PCT Articles 22 and 39(1).
- 4. [X] A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date.
- 5. [X] A copy of the International Application as filed (35 U.S.C. §371(c)(2))
 - a. [] is transmitted herewith (required only if not transmitted by the International Bureau).
 - b. [X] has been transmitted by the International Bureau.
 - c. [] is not required, as the application was filed in the United States Receiving Office (RO/US)
- 6. [X] A translation of the International Application into English (35 U.S.C. §371(c)(2)). ATTACHMENT A
- 7. [] Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. §371(c)(3)).
 - a. [] are transmitted herewith (required only if not transmitted by the International Bureau).
 - b. [] have been transmitted by the International Bureau.
 - c. [] have not been made; however, the time limit for making such amendments has NOT expired.
 - d. [] have not been made and will not be made.
- 8. [] A translation of the amendments to the claims under PCT Article 19.
- 9. [X] An unexecuted oath or declaration of the inventor(s) (35 U.S.C. §371(c)(4)). ATTACHMENT B
- 10. [] A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. §371(c)(5)).

Items 11. to 14. below concern other document(s) or information included:

- 11. [X] An Information Disclosure Statement under 37 CFR 1.97 and 1.98. ATTACHMENT C
- 12. [] An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
- 13. [X] A FIRST preliminary amendment. ATTACHMENT D
 - [] A SECOND or SUBSEQUENT preliminary amendment.
- 14. [] Other items or information:

THE COMMISSIONER IS AUTHORIZED TO CHARGE ANY DEFICIENCY IN THE FEE FOR THIS PAPER TO DEPOSIT ACCOUNT NO. 23-0975.

U.S. APPLICATION OF OF B.	U.S. APPLICATION 90/68-3-1452 INTERNATIONAL APPLICATION NO. PCT/JP99/06309							
15. [X] The following fees are suf	bmitted			·	CALCULATIONS	PTO USE ONLY		
BASIC NATIONAL FE. Neither international preliminary and International Search Report has be International Search Report has be International preliminary examina paid to USPTO								
ENTER APPROI		\$860.00						
Surcharge of \$130.00 for furnishic laimed priority date (37 CFR 1.4	om the earliest	\$						
Claims	Number Filed	Number	Extra	Rate				
Total Claims	-20 =	X \$18.00	\$					
Independent Claims	pendent Ctaims - 3 = X \$80.00							
Multiple dependent claim(s) (if ap	plicable)			+ \$270.00	\$			
TOTAL	OF ABOVE CA	ALCULATI	ONS =		\$860.00			
[] Small Entity Status is here					\$	- 1)		
		SUBTOTA	AL =		\$860.00	•		
Processing fee of \$130.00 for fur- claimed priority date (37 CFR 1.4		slation later than []	20 [] 30 mont	ns from the earliest +	\$			
	TOTAL NA	TIONAL F	EE =		\$860.00			
Fee for recording the enclosed as appropriate cover sheet (37 CFR			ent must be acco	ompanied by an	\$	•		
	TOTAL FEE	S ENCLOS	ED =		\$860.00	•		
					Amount to be refunded	s		
					Amount to be charged	s		
a. [X] A check in the amount of \$86	0.00 to cover the above fe	es is enclosed. A dup	olicate copy of this	form is enclosed.				
b. [] Please charge my Deposit Acco A duplicate copy of this sheet		ount of \$	to cover the ab	ove fees.				
c. [] The Commissioner is hereby au overpayment to Deposit Accou		itional fees which ma	y be required, or	credit any				
NOTE: Where an appropria				ot been met, a peti	ition to revive (37 CF)	R 1.137(a) or		
19. CORRESPONDENCE ADDR	RESS		F	By: 11/2 m	cheeks	_		
				Warren	n M. Cheek Jr. , tration No. 38,387			

000513

PATENT TRADEMARK OFFICE

WENDEROTH, LIND & PONACK, L.L.P. 2033 "K" Street, N.W., Suite 800 Washington, D.C. 20006-1021 Phone: (202) 721-8200 Fax: (202) 721-8250

May 10, 2001

[CHECK NO. NV S

[2001_0572A]

1 2 9 2002 E IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Confirmation No. 4276

Kazuo SUGAMURA et al.

Docket No. 2001-0572A

Serial No. 09/831,452

Group Art Unit Not Yet Assigned

Filed July 10, 2001

In re application of

Examiner Not Yet Assigned

PROTEIN AMSH AND cDNA THEREOF

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents, Washington, D.C. 20231

Sir:

Responsive to the Notice dated April 29, 2002, please amend the above-identified application as follows:

In the Sequence Listing:

Please replace the Sequence Listing of record with the attached substitute Sequence Listing.

REMARKS

The foregoing amendments are presented to place the application in compliance with the sequence rules under 37 CFR 1.821-1.825.

Applicants have submitted a Sequence Listing in both paper and computer readable form as required by 37 C.F.R. 1.821(c) and (e). Amendments directing its entry into the specification

ogeziuse "osiooi

have also been incorporated herein. The content of the paper and computer readable copies are the same and no new matter has been added.

In view of the foregoing, it is believed that each requirement set forth in the Notice has been satisfied, and that the application is now in compliance with the sequence rules under 37 CFR 1.821-1.825. Accordingly, favorable examination on the merits is respectfully requested.

Respectfully submitted,

Kazuo SUGAMURA et al.

By:_

Lee Cheng

Registration No. 40,949

Attorney for Applicants

LC/gtn Washington, D.C. 20006-1021 Telephone (202) 721-8200 Facsimile (202) 721-8250 May 29, 2002



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Confirmation No. 4276

Kazuo SUGAMURA et al.

Docket No. 2001-0572A

Serial No. 09/831,452

Group Art Unit Not Yet Assigned

Filed July 10, 2001

Examiner Not Yet Assigned

PROTEIN AMSH AND cDNA THEREOF

RESPONSE

Assistant Commissioner for Patents, Washington, D.C. 20231

Sir:

Responsive to the Notice dated April 29, 2002, there is submitted herewith, in a separate Preliminary Amendment, a paper copy of a revised Sequence Listing for the above-identified application which has been prepared in accordance with the sequence rules under 37 CFR 1.821-1.825. The Sequence Listing contains the identical sequences appearing in the original application papers. Thus, no new matter has been added.

There is also submitted herewith a copy of the revised Sequence Listing in computer readable form as required by 37 CFR 1.821(e). The content of the paper and computer readable copies are the same.

A copy of the Notice is also attached as required.

In view of the foregoing, it is believed that each requirement set forth in the Notice has been satisfied, and that the application is now in compliance with the sequence rules under 37 CFR 1.821-1.825. Accordingly, favorable examination on the merits is respectfully requested.

Respectfully submitted,

Kazuo SUGAMURA et al.

Lee Cheng

Registration No. 40,949

Attorney for Applicants

LC/gtn Washington, D.C. 20006-1021 Telephone (202) 721-8200 Facsimile (202) 721-8250 May 29, 2002

09/831452 JC08 Rec'd PCT/PTO 1 0 MAY 2001

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Kazuo SUGAMURA et al.

Attn: BOX PCT

Serial No. NEW

Docket No. 2001 0572A

Filed May 10, 2001

PROTEIN AMSH AND cDNA THEREOF [Corresponding to PCT/JP99/06309 Filed November 12, 1999]

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents, Washington, DC 20231

Sir:

Prior to calculating the filing fee, please amend the above-identified application as follows:

IN THE SPECIFICATION

Page 1, immediately after the title, please insert:

This application is a 371 of PCT/JP99/06309 filed November 12, 1999.

IN THE CLAIMS

Please amend the claims as follows:

- 5. (Amended) A recombinant vector containing the hAMSH cDNA of claim 3.
- 11. (Amended) A recombinant vector containing the mAMSH cDNA of claim 9.

Please add the following new claims:

- 13. A recombinant vector containing the DNA fragment of claim 4.
- 14. A recombinant vector containing the DNA fragment of claim 10.

REMARKS

The specification has been amended to reflect the 371 status. In addition, the multiple dependencies of the claims have been removed to reduce the PTO filing fee.

Attached hereto is a marked-up version of the changes made to the specification and claims by the current amendment. The attached pages are captioned "Version with markings to show changes made".

Favorable action on the merits is solicited.

Respectfully submitted,

Kazuo SUGAMURA et al.

By Wan cheely Warren M. Cheek, Jr.

Registration No. 33,367 Attorney for Applicants

WMC/dlk Washington, D.C. 20006-1021 Telephone (202) 721-8200 Facsimile (202) 721-8250 May 10, 2001



SEQUENCE LISTING

- <110> SUGAMURA, Kazuo TANAKA, Nobuyuki
- <120> Protein AMSH and cDNA thereof
- <130> 2001-0572A/LC/00653
- <140> 09/831,452
- <141> 2001-07-10
- <150> PCT/JP99/06309
- <151> 1999-11-12
- <150> JP No. 10-322674
- <151> 1998-11-12
- <160> 4
- <170> PatentIn Ver. 2.0
- <210> 1
- <211> 424
- <212> PRT
- <213> Homo sapiens
- <400> 1
- Met Ser Asp His Gly Asp Val Ser Leu Pro Pro Glu Asp Arg Val Arg

 1 10 15
- Ala Leu Ser Gln Leu Gly Ser Ala Val Glu Val Asn Glu Asp Ile Pro 20 25 30
- Pro Arg Arg Tyr Phe Arg Ser Gly Val Glu Ile Ile Arg Met Ala Ser
- Ile Tyr Ser Glu Glu Gly Asn Ile Glu His Ala Phe Ile Leu Tyr Asn 50 60
- Lys Tyr Ile Thr Leu Phe Ile Glu Lys Leu Pro Lys His Arg Asp Tyr
 75 75 80
- Lys Ser Ala Val Ile Pro Glu Lys Lys Asp Thr Val Lys Lys Leu Lys 85 90 95
- Glu Ile Ala Phe Pro Lys Ala Glu Glu Leu Lys Ala Glu Leu Lys 100 105 110
- Arg Tyr Thr Lys Glu Tyr Thr Glu Tyr Asn Glu Glu Lys Lys Glu
 115 120 125
- Ala Glu Glu Leu Ala Arg Asn Met Ala Ile Gln Glu Leu Glu Lys 130 140
- Glu Lys Gln Arg Val Ala Gln Gln Lys Gln Gln Gln Leu Glu Gln Glu 145 150 155 160
- Gln Phe His Ala Phe Glu Glu Met Ile Arg Asn Gln Glu Leu Glu Lys
 165 170 175
- 165 170 175

 Glu Arg Leu Lys Ile Val Gln Glu Phe Gly Lys Val Asp Pro Gly Leu
 180 185 190
- 180 185 190
 Gly Gly Pro Leu Val Pro Asp Leu Glu Lys Pro Ser Leu Asp Val Phe
- 195 200 205
 Pro Thr Leu Thr Val Ser Ser Ile Gln Pro Ser Asp Cys His Thr Thr 210 215 220
- Val Arg Pro Ala Lys Pro Pro Val Val Asp Arg Ser Leu Lys Pro Gly

```
230
225
Ala Leu Ser Asn Ser Glu Ser Ile Pro Thr Ile Asp Gly Leu Arg His
                245
                                    250
Val Val Val Pro Gly Arg Leu Cys Pro Gln Phe Leu Gln Leu Ala Ser
                                265
Ala Asn Thr Ala Arg Gly Val Glu Thr Cys Gly Ile Leu Cys Gly Lys
                                                285
                            280
        275
Leu Met Arg Asn Glu Phe Thr Ile Thr His Val Leu Ile Pro Lys Gln
                        295
                                            300
Ser Ala Gly Ser Asp Tyr Cys Asn Thr Glu Asn Glu Glu Glu Leu Phe
                    310
                                        315
Leu Ile Gln Asp Gln Gln Gly Leu Ile Thr Leu Gly Trp Ile His Thr
                                    330
                325
His Pro Thr Gln Thr Ala Phe Leu Ser Ser Val Asp Leu His Thr His
                                345
            340
Cys Ser Tyr Gln Met Met Leu Pro Glu Ser Val Ala Ile Val Cys Ser
                                                365
        355
                            360
Pro Lys Phe Gln Glu Thr Gly Phe Phe Lys Leu Thr Asp His Gly Leu
                                            380
                        375
Glu Glu Ile Ser Ser Cys Arg Gln Lys Gly Phe His Pro His Ser Lys
                                        395
                    390
Asp Pro Pro Leu Phe Cys Ser Cys Ser His Val Thr Val Val Asp Arg
                                    410
                405
Ala Val Thr Ile Thr Asp Leu Arg
            420
<210> 2
<211> 1910
<212> DNA
<213> Homo sapiens
<221> CDS
<222> 11..1282
<400> 2
cttggtcctg atgtctgacc atggagatgt gagcctcccg cccgaagacc gggtgagggc 60
teteteccag etgggtagtg eggtagaggt gaatgaagae attecacece gteggtaett 120
ccgctctgga gttgagatta tccgaatggc atccatttac tctgaggaag gcaacattga 180
acatgeette atectetata acaagtatat caegetettt attgagaaae taecaaaaca 240
tcgagattac aaatctgctg tcattcctga aaagaaagac acagtaaaga aattaaagga 300
gattgcattt cccaaagcag aagagctgaa ggcagagctg ttaaaacgat ataccaaaga 360
atatacagaa tataatgaag aaaagaagaa ggaagcagag gaattggccc ggaacatggc 420
catccagcaa gagctggaaa aggaaaaaca gagggtagca caacagaagc agcagcaatt 480
ggaacaggaa cagttecatg eettegagga gatgateegg aaccaggage tagaaaaaga 540
gcgactgaaa attgtacagg agtttgggaa ggtagaccct ggcctaggtg gcccgctagt 600
gcctgacttg gagaagccct ccttagatgt gttccccacc ttaacagtct catccataca 660
gccttcagac tgtcacacaa ctgtaaggcc agctaagcca cctgtggtgg acaggtcctt 720
gaaacctgga gcactgagca actcagaaag tattcccaca atcgatggat tgcgccatgt 780
ggtggtgcct gggcggctgt gcccacagtt tctccagtta gccagtgcca acactgcccg 840
gggagtggag acatgtggaa ttctctgtgg aaaactgatg aggaatgaat ttaccattac 900
ccatgttctc atccccaagc aaagtgctgg gtctgattac tgcaacacag agaacgaaga 960
aqaacttttc ctcatacagg atcagcaggg cctcatcaca ctgggctgga ttcatactca 1020
ccccacacag accgcgtttc tctccagtgt cgacctacac actcactgct cttaccagat 1080
gatgttgcca gagtcagtag ccattgtttg ctcccccaag ttccaggaaa ctggattctt 1140
taaactaact gaccatggac tagaggagat ttcttcctgt cgccagaaag gatttcatcc 1200
acacagcaag gatccacctc tgttctgtag ctgcagccac gtgactgttg tggacagagc 1260
agtgaccate acagacette gatgagegtt tgagtecaae acettecaag aacaacaaaa 1320
```

```
ccatatcagt gtactgtagc cccttaattt aagetttcta gaaagetttg gaagtttttg 1380
tagatagtag aaaggggggc atcacctgag aaagagctga ttttgtattt caggtttgaa 1440
aagaaataac tgaacatatt ttttaggcaa gtcagaaaga gaacatggtc acccaaaagc 1500
aactgtaact cagaaattaa gttactcaga aattaagtag ctcagaaatt aagaaagaat 1560
ggtataatga accccatat acccttectt etggatteae caattgttaa cattttttte 1620
ctctcagcta tccttctaat ttctctctaa tttcaatttg tttatattta cctctgggct 1680
caataagggc atctgtgcag aaattttggaa gccatttaga aaatcttttg gattttcctg 1740
tggtttatgg caatatgaat ggagcttatt actggggtga gggacagctt actccatttg 1800
accagattgt ttggctaaca catcccgaag aatgattttg tcaggaatta ttgttattta 1860
ataaatattt caggatattt ttcctctaca ataaagtaac aattaactta
<210> 3
<211> 424
<212> PRT
<213> mouse
<400> 3
Met Ser Asp His Gly Asp Val Ser Leu Pro Pro Gln Asp Arg Val Arg
Ile Leu Ser Gln Leu Gly Ser Ala Val Glu Leu Asn Glu Asp Ile Pro
                                 25
            20
Pro Arg Arg Tyr Tyr Arg Ser Gly Val Glu Ile Ile Arg Met Ala Ser
                            40
Val Tyr Ser Glu Glu Gly Asn Ile Glu His Ala Phe Ile Leu Tyr Asn
                         55
Lys Tyr Ile Thr Leu Phe Ile Glu Lys Leu Pro Lys His Arg Asp Tyr
                    70
Lys Ser Ala Ile Ile Pro Glu Lys Lys Asp Ala Val Lys Lys Leu Lys
                                     90
Ser Val Ala Phe Pro Lys Ala Glu Glu Leu Lys Thr Glu Leu Leu Arg
           100
                               105
                                                    110
Arg Tyr Thr Lys Glu Tyr Glu Gln Tyr Lys Glu Arg Lys Lys Lys Glu
                            120
Glu Glu Glu Leu Ala Arg Asn Ile Ala Ile Gln Glu Leu Glu Lys
                       135
                                           140
Glu Lys Gln Arg Val Ala Gln Gln Lys Gln Lys Gln Leu Glu Gln Glu
                   150
                                       155
Gln Phe His Ala Phe Glu Glu Met Ile Gln Arg Gln Glu Leu Glu Lys
                                    170
               165
                                                        175
Glu Arg Leu Lys Ile Val Gln Glu Phe Gly Lys Val Asp Pro Gly Pro
           180
                                185
                                                    190
Cys Gly Pro Leu Leu Pro Asp Leu Glu Lys Pro Cys Val Asp Val Ala
                            200
                                                205
Pro Ser Ser Pro Phe Ser Pro Thr Gln Thr Pro Asp Cys Asn Thr Gly
                        215
                                            220
Met Arg Pro Ala Lys Pro Pro Val Val Asp Arg Ser Leu Lys Pro Gly
                   230
                                        235
Ala Leu Ser Val Ile Glu Asn Val Pro Thr Ile Glu Gly Leu Arg His
               245
                                    250
                                                       255
Ile Val Val Pro Arg Asn Leu Cys Ser Glu Phe Leu Gln Leu Ala Ser
           260
                                265
Ala Asn Thr Ala Lys Gly Ile Glu Thr Cys Gly Val Leu Cys Gly Lys
                            280
                                                285
Leu Met Arg Asn Glu Phe Thr Ile Thr His Val Leu Ile Pro Arg Gln
                        295
                                            300
Asn Gly Gly Pro Asp Tyr Cys His Thr Glu Asn Glu Glu Glu Ile Phe
                    310
                                        315
```

```
Phe Met Gln Asp Asp Leu Gly Leu Leu Thr Leu Gly Trp Ile His Thr
                                    330
                325
His Pro Thr Gln Thr Ala Phe Leu Ser Ser Val Asp Leu His Thr His
            340
                                345
Cys Ser Tyr Gln Met Met Leu Pro Glu Ser Ile Ala Ile Val Cys Ser
                            360
                                                365
Pro Lys Phe Gln Glu Thr Gly Phe Phe Lys Leu Thr Asp Tyr Gly Leu
    370
                        375
                                             380
Gln Glu Ile Ser Thr Cys Arg Gln Lys Gly Phe His Pro His Gly Arg
                    390
                                        395
Asp Pro Pro Leu Phe Cys Asp Cys Ser His Val Thr Val Lys Asp Arg
                405
                                    410
Ile Val Thr Ile Thr Asp Leu Arg
            420
<210> 4
<211> 1384
<212> DNA
<213> homosapiens
<221> CDS
<222> 56..1327
<400> 4
gtgacgtttc cggaagctct gactgtcatc cttcacgaaa gaacttattt gtccaatgtc 60
tgaccatggg gatgtgagcc tcccacccca agaccgggtg aggattctgt cccaacttgg 120
gagtgcagtt gagttaaatg aagacattec acceegtege taetaeeget eeggtgttga 180
gatcatccgc atggcgtccg tttactcgga agaaggcaac attgaacatg cctttatcct 240
ctacaacaag tacatcacgc tgtttattga aaaacttccg aaacaccgag actacaaatc 300
agctatcatt cctgagaaga aagatgctgt caagaaatta aagagcgtcg ctttccctaa 360
agoggaagag otgaagacag agotottgag aagatacaco aaagaatatg agoagtataa 420
agagegaaag aaaaaggaag aagaggaaet tgeeegaaat ategeeatee ageaagagtt 480
ggaaaaagaa aaacagaggg ttgctcagca gaagcagaag cagctagagc aggagcaatt 540
ccatgccttt gaggagatga tccagaggca ggagctggaa aaagaacggc tgaaaattgt 600
tcaagagttc gggaaggtag accetggeec etgegggeet etgeteeetg atetggaaaa 660
geettgtgta gatgtggeee eeageteace gttetegeee aegeagaete eagaetgtaa 720
cacaggcatg aggccagcta agccacctgt ggtggacagg tccctgaaac ctggagcgtt 780
aagcgtcata gaaaatgttc ccaccattga aggcctgcgc cacatcgtgg tgccccgtaa 840
tetgtgetea gaatttetee agettgeeag tgeeaatace geeaaaggea ttgaaacetg 900
tggagtcctc tgtggaaaac tgatgagaaa tgaattcaca atcacacatg ttctcatccc 960
cagacaaaat ggtgggcctg attattgcca cacggagaat gaagaagaaa ttttctttat 1020
geaggatgae ettggaetee teactettgg etggateeat acteateeaa eecaaaegge 1080
ctttctgtcc agtgtggatc tccacactca ctgctcctac caaatgatgt taccagagtc 1140
categeaate gtetgtteee caaagtteea ggaaaetgga ttetttaage taaetgaeta 1200
tggtcttcaa gagatttcaa cctgccggca gaaaggcttt cacccccatg gcagagaccc 1260
accgctgttc tgtgactgca gccatgtcac tgtcaaggac agaattgtga cgatcacaga 1320
cettegataa ateteaaate atgaaceagg gagatggate aetgggtaae ageaettgte 1380
acca
                                                                  1384
```

O981452 .us1001

09/831452

Show Changes Made

JC08 Rec'd PCT/PTO 1 0 MAY 2001

DESCRIPTION

1

Protein AMSH and cDNA thereof

5 This application is a 371 of PCT/JP99/06309 filed November 12,1999.

Technical Field

The present invention relates to human protein hAMSH and mouse protein mAMSH, and cDNAs encoding these proteins. More particularly, the present invention relates to novel human and mouse signal transduction molecules, AMSH, human and mouse genes encoding these proteins, cDNAs thereof, and antibodies against these proteins.

15

20

Background Art

A variety of cells having different functions should collaborate with each other for expression of higher biological functions such as hematopoietic, immunological and nervous systems. Communication among the cells is essential for their collaborations. Cytokines are known to be the proteins responsible for intercellular communication, and include interleukin (IL)-1 to 18, colony stimulation factors (CSFs), interferons (IFNs) and several chemokines.

25

30

Signals are generated by binding of the cytokines to specific receptors on the cell membrane, and survival, proliferation, differentiation and functional expression of the cells are controlled by signal transduction. Accordingly, dysfunction of cytokine-receptor signal transduction pathways result in collapse of the immunological and hematopoietic systems to cause severe infectious diseases, cancers and autoimmune diseases.

CLAIMS

1. A human protein hAMSH having the amino acid sequence of SEQ ID No. 1.

5

- 2. A human gene encoding the human protein hAMSH of claim 1.
- 3. cDNA of the human gene of claim 2, which is hAMSH cDNA having the nucleotide sequence of SEQ ID no. 2.

10

1

- 4. A DNA fragment comprising a partial sequence in the nucleotide sequence of SEQ ID No. 2.
- 5. A recombinant vector containing the hAMSH cDNA of claim X or the DNA fragment of claim 4.
 - 6. An antibody against the human protein hAMSH of claim 1.
- 7. A mouse protein mAMSH having the amino acid sequence of SEQ ID 20 No. 3.
 - 8. A mouse gene encoding the mouse protein mAMSH of claim 7.
- 9. cDNA of the mouse gene of claim 7, which is mAMSH cDNA having the nucleotide sequence of SEQ ID no. 4.
 - 10. A DNA fragment comprising a partial sequence in the nucleotide sequence of SEQ ID No. 4.
- 30 11. A recombinant vector containing the mAMSH cDNA of claim 9, or the -DNA fragment of claim 10.

09/831452

1

JC08 Rec'd PCT/PTO 1 0 MAY 2001

DESCRIPTION

Protein AMSH and cDNA thereof

5

Technical Field

The present invention relates to human protein hAMSH and mouse protein mAMSH, and cDNAs encoding these proteins. More particularly, the present invention relates to novel human and mouse signal transduction molecules, AMSH, human and mouse genes encoding these proteins, cDNAs thereof, and antibodies against these proteins.

15

20

10

Background Art

A variety of cells having different functions should collaborate with each other for expression of higher biological functions such as hematopoietic, immunological and nervous systems. Communication among the cells is essential for their collaborations. Cytokines are known to be the proteins responsible for intercellular communication, and include interleukin (IL)-1 to 18, colony stimulation factors (CSFs), interferons (IFNs) and several chemokines.

25

30

Signals are generated by binding of the cytokines to specific receptors on the cell membrane, and survival, proliferation, differentiation and functional expression of the cells are controlled by signal transduction. Accordingly, dysfunction of cytokine-receptor signal transduction pathways result in collapse of the immunological and hematopoietic systems to cause severe infectious diseases, cancers and autoimmune diseases.

For the reasons described above, it is quite important to elucidate the intracellular signal transduction pathways mediated by the cytokine/cytokine receptor system. This is important, in order to appreciate the basic phenomena such as proliferation and differentiation of the cells, pathogenesis, diagnosis and therapeutic intervention of various diseases at the molecular levels.

The inventors of the present invention have isolated the genes of "common γ-chain" commonly included in a plurality of the cytokine receptors, and have made a great contribution in elucidating the structure and function of the cytokine receptors. Of particular elucidation is that the γ-chain is an essential subunit for functional expression of IL-2, IL-4, IL-7 and IL-9, and abnormality in the γ-chain causes impairment of early development of T-cells via dysfunction of IL-7 (Science, 262:1874-1877, 1993; Int. Immunol., 6:1451-1454, 1994; Science, 263:1453-1454, 1994; Eur. J. Immunol., 25:3001-3005, 1995).

Recently, the inventors of the present invention have identified "STAMs" as novel signal molecules concerning signal transduction in the proliferating cells by the cytokines, and found that these STAMs are present downstream of the IL-2/GM-CSF receptor and directly associate with JAK3/2. The inventors also found that STAMs play an important role in expression of c-myc and signal transduction for DNA synthesis (Immunity, 6:449-457, 1997).

25

30

5

10

15

20

While several important mechanisms of the intracellular signal transduction pathway by binding of the cytokines to the receptors have been made clear, additional novel molecules should be identified for elucidating the overall structure and function of the intracellular signal transduction pathway, because plural molecules are thought to be continuously and synergetically involved in the signal transduction pathway and to manifest final functional

expression by constructing a so-called cascade.

5

15

20

25

30

The present invention was performed by taking the above situations into consideration, and the object of this invention is to provide a novel signal transduction molecules interacting with SH3 domain of a signal molecule STAM that has been found by the present inventors, and exerting essential functions on signal transduction to the downstream from STAM.

Another object of the present invention is to provide gene encoding this novel molecule, cDNA thereof, and antibody against the novel molecule.

Disclosure of Invention

The present invention for solving the foregoing problems provides a human protein hAMSH having the amino acid sequence of SEQ ID No. 1

The present invention also provides a human gene encoding the human protein hAMSH, hAMSH cDNA having the nucleotide sequence of SEQ ID No. 2, and a DNA fragment comprising a partial sequence of SEQ ID No. 2.

The present invention further provides a recombinant vector containing the cDNA or the partial fragment thereof, and an antibody against the human protein hAMSH.

The present invention additionally provides a mouse protein mAMSH having the amino acid sequence of SEQ ID No. 3, a mouse gene encoding the mouse protein mAMSH, mAMSH cDNA having the nucleotide sequence of SEQ ID No. 4, a DNA fragment comprising a partial sequence of SEQ ID No. 4, a recombinant vector containing the cDNA or the DNA fragment thereof, and an antibody against the mouse protein mAMSH.

Best Mode for Carrying Out the Invention

The procedure for obtaining a human protein hAMSH and cDNA thereof, as well as the procedure for identifying the function of the protein will be described hereinafter.

The human protein hAMSH cDNA according to the present invention is a human gene's cDNA isolated by screening a human cDNA library by Far-Western method using a chimera gene of SH3 domain of STAM gene and glutathione-S-transferase (GST). This cDNA has a nucleotide sequence comprising 1910 base pairs shown in SEQ ID No. 2, and encodes the protein hAMSH having the amino acid sequence of SEQ ID No. 1.

15

10

5

While estimated a nucleus transfer signal and a JAB1-like structure are observed in the molecule of the protein hAMSH, this protein is confirmed to be a novel molecule since corresponding molecules are not found in the protein data base.

20

The facts that this protein hAMSH is a novel molecule involved in signal transduction for cell proliferation by association with STAM, downstream of the cytokine receptor, is confirmed as follows:

- 25 (1) AMSH-dc2 in which half of the C-terminal region of hAMSH has been deleted, suppresses signal transduction for DNA synthesis after stimulating with IL-2 and GM-CSF; and
 - (2) The AMSH-dc2 mutant suppresses c-myc inducing signal transduction after stimulating with IL-2 and GM-CSF.

30

The cDNA of the mouse protein mAMSH according to the present invention is a mouse gene's cDNA isolated by screening a mouse cDNA

library using the hAMSH cDNA as a probe. This cDNA has the nucleotide sequence comprising 1384 base pairs shown in SEQ ID No. 4, and encodes the protein mAMSH having the amino acid sequence of SEQ ID No. 3.

5

10

15

20

25

30

The proteins hAMSH and mAMSH according to the present invention may be obtained by conventional methods such as isolating from human or mouse organs or from cell lines, preparing the peptides by a chemical synthesis based on the amino acid sequence provided by the present invention, or by a recombinant DNA techniques using the cDNA fragments provided by the present invention. For example, in order to obtain the protein hAMSH by the recombinant DNA technique, RNA is prepared by in vitro transcription from the vectors comprising cDNA fragment having the nucleotide sequence of SEQ ID No. 2, and the protein may be expressed through in vitro translation using the RNA as a template. The protein encoded by the cDNA may be also expressed in large scale in E. coli, Bacillus subtilis, yeast, animal cells and plant cells by recombining an expression vector with the translation region of cDNA by known methods in the art.

When the protein according to the present invention is produced by expression of DNA by in vitro translation, the cDNA or its translation region is recombined into a vector having a RNA polymerase promoter, and the recombinant cDNA is added in an in vitro translation system such as a rabbit dyalyzate or wheat germ extract containing a RNA polymerase for the promoter. Examples of the RNA polymerase promoter include T6, T3 and SP6. Examples of the vector containing these RNA polymerase promoter include pKA1, pCDM8, pT3/7 18, pT7/3 19 and pBlueprint II.

For large scale production of the protein encoded in cDNA in microorganisms such as E. coli, an expression vector is constructed by inserting the cDNA according to the present invention or its translation region into an expression vector comprising an origin suitable for microorganisms, a promoter, a ribosome binding site, cDNA cloning sites and terminater, followed by cultivation of the transformant cell obtained after transformation of the host cell with the expression vector. A protein containing an arbitrary region can be obtained by allowing the expression vector to express by adding an initiation codon and a stop codon before and after the arbitrary translation region. Otherwise, a desired protein portion can be selectively obtained by allowing the protein to express as a fusion protein with other protein, followed by cleaving this fusion protein with an appropriate protease. Examples of the expression vector for use in E. coli include pUC, pBluescript II, pET expression system and pGEX expression system.

For producing the protein according to the present invention in eukaryotic cell such as animal cells, the cDNA or the translation region thereof is inserted into an expression vector for the eukaryotic cell comprising a promoter, splicing region and poly (A) addition site to introduce the recombinant vector into the eukaryotic cell. Examples of the expression vector include pKA1, pCDM8, pSVK3, pMSG, pSVL, pBK-CMV, pBK-RSV, EBV vector, pRS and pYES2. While cultured cells of a mammal such as monkey kidney cells COS7 and Chinese hamster ovary cells CHO, budding yeast, dividing yeast, silkworm cells and African clawed frog egg cells are usually used as the eukaryotic cells, any eukaryotic cells may be used so long as they are able to express MIST. The expression vector can be introduced into the eukaryotic cell by a conventional method such as an electroporation method, a calcium phosphate method, a liposome method and a DEAE dextran method.

Separation procedures known in the art may be combined for isolating and purifying the desired protein from the culture after expressing the protein in microorganisms or eukaryotic cells. The separation and purifying methods include, for example, treatment with a denaturation reagent such as urea or with a surface active agent, ultrasonic treatment,

enzymatic digestion, salting-out and solvent precipitation method, dialysis, centrifugation, ultrafiltration, gel filtration, SDS-PAGE, isoelectric point electrophoresis, ion exchange chromatography, hydrophobic chromatography, affinity chromatography and reversed phase chromatography.

5

10

15

20

25

30

Peptide fragments (five amino acid residues or more) containing any partial amino acid sequence of the amino acid sequence of SEQ ID Nos 1 and 3 are included in the proteins hAMSH and mAMSH according to the present invention. These peptide fragments may be used for producing antibodies. Fusion proteins with other proteins are also included in the protein according to the present invention.

The gene of the present invention is a human gene encoding the protein described above, and can be isolated, for example, from the existing genome library using the cDNA of the present invention or a partial sequence thereof as a probe.

The cDNA of the present invention may be obtained by screening a cDNA library derived from a human cell or mouse cell through colony or plaque hybridization known in the art by using the oligonucleotide probe synthesized, based on the nucleotide sequence of SEQ ID Nos. 2 and 4. Alternatively, the cDNA of the present invention can be prepared from the mRNA isolated from a human cell or mouse cell by the RT-PCR method using synthesized oligonucleotides that can hybridize to both ends of the cDNA fragment as primers.

Polymorphism due to individual differences is often observed in the animal gene. Accordingly, cDNAs containing an addition or deletion of one or plural nucleotides, and/or substitution with other nucleotides in SEQ ID Nos. 2 and 4 are also included within the scope of the present invention.

Likewise, the proteins containing an addition or deletion of one or

plural amino acids, and/or substitution with other amino acids caused by the alteration of cDNAs may be also included within the scope of the present invention, provided that the protein comprises protein activity pf the protein having the amino acid sequence of SEQ ID No. 1 or 3.

5

10

15

The DNA fragments (10 bp or more) comprising any partial nucleotide sequence of SEQ ID No. 2 or 4 are also included in the DNA fragment of the present invention. DNA fragments comprising sense strand and antisense strand may be categorized into the DNA fragment of the present invention. The DNA fragments can be used as a probe for gene diagnosis.

Antibodies against the proteins of the present invention may be obtained as polyclonal antibodies or monoclonal antibodies by conventional methods using the proteins themselves or partial peptides thereof as antigens.

Example

20

25

A part of the hAMSH cDNA (the 383-550th in SEQ ID No. 2: corresponds to the amino acids 125-180th in SEQ ID No. 1) was amplified by PCR and was inserted into the GST fusion protein expression vector. This vector was introduced into E coli for transformation, and this transformant was stimulated with IPTG to induce expression of the GST fusion protein. The induced fusion protein was purified by affinity chromatography using a glutathione column, thereby obtaining the GST fusion protein. An antiserum was obtained by immunizing a rabbit with this GST fusion protein as an antigen.

Industrial Applicability

As hitherto described in detail, the present invention provides novel signal transduction molecules related to the cytokine based signal transduction pathway, and gene engineering materials. These molecules and gene engineering materials are useful for developing diagnostic and therapeutic methods as well as pharmaceuticals for human diseases due to dysfunction of the cytokine based signal transduction pathway such as severe infectious diseases, cancers and autoimmune diseases.

CLAIMS

1. A human protein hAMSH having the amino acid sequence of SEQ ID No. 1.

5

- 2. A human gene encoding the human protein hAMSH of claim 1.
- 3. cDNA of the human gene of claim 2, which is hAMSH cDNA having the nucleotide sequence of SEQ ID no. 2.

10

- 4. A DNA fragment comprising a partial sequence in the nucleotide sequence of SEQ ID No. 2.
- 5. A recombinant vector containing the hAMSH cDNA of claim 4 or the15 DNA fragment of claim 4.
 - 6. An antibody against the human protein hAMSH of claim 1.
- 7. A mouse protein mAMSH having the amino acid sequence of SEQ ID 20 No. 3.
 - 8. A mouse gene encoding the mouse protein mAMSH of claim 7.
- 9. cDNA of the mouse gene of claim 7, which is mAMSH cDNA having the nucleotide sequence of SEQ ID no. 4.
 - 10. A DNA fragment comprising a partial sequence in the nucleotide sequence of SEQ ID No. 4.
- 30 11. A recombinant vector containing the mAMSH cDNA of claim 9 or the DNA fragment of claim 10.

12. An antibody against the mouse protein mAMSH of claim 7.

ABSTRACT

This application provides a human protein AMSH having the amino acid sequence of SE ID No. 1 which is a novel signal transduction molecule interacting with the SH3 domain of cytokine based signal transduction molecule STAM; a gene encoding the above AMSH; a cDNA having the nucleotide sequence of SEQ ID No. 2; and antibody against AMSH.

JUL 1 0 2001 304

Rev. 3-21-01

Effective March 1998

DECLARATION AND POWER OF ATTORNEY FOR U.S. PATENT APPLICATION

(X) Original () Supplemental () Substitute (X) PCT () DESIGN

As a below named inventor, I hereby declare that: my residence, post office address and citizenship are as stated below next to my name; that I verily believe that I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural inventors are named below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

COUNTRY	APPLICATION NO.	DATE OF FILING	PRIORITY	
application(s) for patent or inventor's	ter Title 35, United States Code, §119 s certificate listed below and have also in that of the application on which priority	dentified below any application	is for a Design) of for patent or invent	any or's
defined in Title 37, Code of Federal				
by any amendment(s) referred to abo				
(if applicable).	Application No. PCT/JP99/06309, filed			_
	erial No, filed May 10,	2001, and with amendments th	nrough	_
Title: <u>PROTEIN AMSH AND cDNA</u>	THEREOF			

COUNTRY	APPLICATION NO.	DATE OF FILING	PRIORITY CLAIMED		
Japan	1998-322674	November 12, 1998	Yes		

I hereby claim the benefit under Title 35, United States Code §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code §112, I acknowledge the duty to disclose information material to patentability as defined in Title 37, Code of Federal Regulations, §1.56 which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

APPLICATION SERIAL NO.	U.S. FILING DATE	STATUS: PATENTED, PENDING, ABANDONED

And I hereby appoint Michael R. Davis, Reg. No. 25,134; Matthew M. Jacob, Reg. No. 25,154; Warren M. Cheek, Jr., Reg. No. 33,367; Nils Pedersen, Reg. No. 33,145; Charles R. Watts, Reg. No. 33,142; and Michael S. Huppert, Reg. No. 40,268, who together constitute the firm of WENDEROTH, LIND & PONACK, L.L.P., as well as any other attorneys and agents associated with Customer No. 000513, to prosecute this application and to transact all business in the U.S. Patent and Trademark Office connected therewith.

I hereby authorize the U.S. attorneys and agents named herein to accept and follow instructions from <u>NISHIZAWA & ASSOCIATES</u> as to any action to be taken in the U.S. Patent and Trademark Office regarding this application without direct communication between the U.S. attorneys and myself. In the event of a change in the persons from whom instructions may be taken, the U.S. attorneys named herein will be so notified by me.

Direct Correspondence to Customer No:



000513
PATENT TRADEMARK OFFICE

Direct Telephone Calls to:

WENDEROTH, LIND & PONACK, L.L.P. 2033 "K" Street, N.W., Suite 800 Washington, D.C. 20006-1021

Phone:(202) 721-8200 Fax:(202) 721-8250

ტ -

2.6

Full Name of First Inventor	FAMILY NAME FIRST GIVEN NAME SECOND GIVEN NAME SUGAMURA Kazuo
Residence & Citizenship	CITY STATE OR COUNTRY OF CITIZENSHIP Miyagi Japan Japan
Post Office Address	ADDRESS CITY STATE OR COUNTRY ZIP CODE c/o University of Tohoku, Medical Department, 2-1, Seiryo-cho, Aoba-ku, Sendai-shi, Miyagi, Japan
Full Name of Second Inventor	FAMILY NAME FIRST GIVEN NAME SECOND GIVEN NAME TANAKA Nobuyuki
Residence & Citizenship	CITY STATE OR COUNTRY COUNTRY OF CITIZENSHIP Miyagi Japan Japan Japan
Post Office Address	ADDRESS CITY STATE OR COUNTRY ZIP CODE C/O University of Tohoku, Medical Department, 2-1, Seiryo-cho, Aoba-ku, Sendai-shi, Miyagi, Japan
Full Name of Third Inventor	FAMILY NAME FIRST GIVEN NAME SECOND GIVEN NAME
Residence & Citizenship	CITY STATE OR COUNTRY COUNTRY OF CITIZENSHIP
Post Office Address	ADDRESS CITY STATE OR COUNTRY ZIP CODE
Full Name of Fourth Inventor	FAMILY NAME FIRST GIVEN NAME SECOND GIVEN NAME
Residence & Citizenship	CITY STATE OR COUNTRY COUNTRY OF CITIZENSHIP
Post Office Address	ADDRESS CITY STATE OR COUNTRY ZIP CODE
Full Name of Fifth Inventor	FAMILY NAME FIRST GIVEN NAME SECOND GIVEN NAME
Residence & Citizenship	CITY STATE OR COUNTRY COUNTRY OF CITIZENSHIP
Post Office Address	ADDRESS CITY STATE OR COUNTRY ZIP CODE

09/831452

1/8

SEQUENCE LISTING

JC08 Rec'd PCT/PTO 1 0 MAY 2007

	(110> Japan Science and Technology Corporation
	(120> Protein AMSH and cDNA thereof
	(130> 99-F-054PCT/YS
5	(140> PCT/JP99/06309
	(141> 1999-11-12
	(150> JP No. 10-322674
	(151> 1998-11-12
	(160> 4
10	(170> Patentin Ver. 2.0
	(210> 1
	(211> 424
	(212> PRT
	(213) Homo sapiens
15	(400> 1
	Met Ser Asp His Gly Asp Val Ser Leu Pro Pro Glu Asp Arg Val Arg
	1 5 10 15
	Ala Leu Ser Gin Leu Gly Ser Ala Val Glu Val Asn Glu Asp lle Pro
	20 25 30
20	Pro Arg Arg Tyr Phe Arg Ser Gly Val Glu lle lle Arg Met Ala Ser
	35 40 45
	lle Tyr Ser Glu Glu Gly Asn lle Glu His Ala Phe lle Leu Tyr Asn
	50 55 60
	ys Tyr lle Thr Leu Phe lle Glu Lys Leu Pro Lys His Arg Asp Tyr
25	65 70 75 80
	ys Ser Ala Val lle Pro Glu Lys Lys Asp Thr Val Lys Lys Leu Lys
	85 90 95
	Glu lle Ala Phe Pro Lys Ala Glu Glu Leu Lys Ala Glu Leu Leu Lys

				100					105					110		
	Arg	Tyr	Thr	Lys	Glu	Tyr	Thr	Glu	Tyr	Asn	Glu	Glu	Lys	Lys	Lys	Glu
			115					120					125			
	Ala	Glu	Glu	Leu	Ala	Arg	Asn	Met	Ala	He	Gln	Gln	Glu	Leu	Glu	Lys
5		130					135					140				
	Glu	Lys	Gln	Arg	Val	Ala	Gln	Gln	Lys	GIn	Gin	Gin	Leu	Glu	Gin	Glu
	145					150					155					160
	Gln	Phe	His	Ala	Phe	Glu	Glu	Met	He	Arg	Asn	Gln	Glu	Leu	Glu	Lys
					165					170					175	
10	Glu	Arg	Leu	Lys	lle	Val	Gln	Glu	Phe	Gly	Lys	Val	Asp	Pro	Gly	Leu
				180					185					190		
	Gly	Gly	Pro	Leu	Val	Pro	Asp	Leu	Glu	Lys	Pro	Ser	Leu	Asp	Val	Phe
			195					200					205			
	Pro	Thr	Leu	Thr	Val	Ser	Ser	He	Gln	Pro	Ser	Asp	Cys	His	Thr	Thr
15		210					215					220				
	Val	Arg	Pro	Ala	Lys	Pro	Pro	Val	Val	Asp	Arg	Ser	Leu	Lys	Pro	Gly
	225					230					235					240
	Ala	Leu	Ser	Asn	Ser	Glu	Ser	lle	Pro	Thr	ile	Asp	Gly	Leu	Arg	His
					245					250					255	
20	Val	Val	Val	Pro	Gly	Arg	Leu	Cys	Pro	Gln	Phe	Leu	Gln	Leu	Ala	Ser
				260					265					270		
	Ala	Asn	Thr	Ala	Arg	Gly	Val	Glu	Thr	Cys	Gly	He	Leu	Cys	Gly	Lys
			275					280					285			
	Leu	Met	Arg	Asn	Glu	Phe	Thr	He	Thr	His	Val	Leu	He	Pro	Lys	Gln
25		290					295					300				
	Ser	Ala	Gly	Ser	Asp	Tyr	Cys	Asn	Thr	Glu	Asn	Glu	Glu	Glu	Leu	Phe
	305					310					315					320
	Leu	He	Gln	Asp	Gln	Gln	Gly	Leu	Пe	Thr	Leu	Gly	Trp	He	His	Thr

325 330 335

His Pro Thr Gln Thr Ala Phe Leu Ser Ser Val Asp Leu His Thr His

340 345 350

Cys Ser Tyr Gin Met Met Leu Pro Glu Ser Val Ala ile Val Cys Ser

5 355 360 365

Pro Lys Phe Gln Glu Thr Gly Phe Phe Lys Leu Thr Asp His Gly Leu 370 375 380

Glu Glu IIe Ser Ser Cys Arg Gln Lys Gly Phe His Pro His Ser Lys

385 390 395 400

10 Asp Pro Pro Leu Phe Cys Ser Cys Ser His Val Thr Val Val Asp Arg

405 410 415

Ala Val Thr lle Thr Asp Leu Arg

420

⟨210⟩ 2

15 (211) 1910

<212> DNA

<213> Homo sapiens

<221> CDS

⟨222⟩ 11.. 1282

20 <400> 2

25

cttggtcctg atgtctgacc atggagatg gagcctcccg cccgaagacc gggtgagggc 60
tctctcccag ctgggtagtg cggtagaggt gaatgaagac attccaccc gtcggtactt 120
ccgctctgga gttgagatta tccgaatggc atccatttac tctgaggaag gcaacattga 180
acatgccttc atcctctata acaagtatat cacgctcttt attgagaaac taccaaaaca 240
tcgagattac aaatctgctg tcattcctga aaagaaagac acagtaaaga aattaaagga 300
gattgcattt cccaaagcag aagagctgaa ggcagagctg ttaaaacgat ataccaaaga 360
atatacagaa tataatgaag aaaagaagaa ggaagcagag gaattggccc ggaacatggc 420
catccagcaa gagctggaaa aggaaaaaca gagggtagca caacagaagc agcagcaatt 480

ggaacaggaa cagttccatg ccttcgagga gatgatccgg aaccaggagc tagaaaaaga 540 gcgactgaaa attgtacagg agtttgggaa ggtagaccct ggcctaggtg gcccgctagt 600 gcctgacttg gagaagccct ccttagatgt gttccccacc ttaacagtct catccataca 660 gccttcagac tgtcacacaa ctgtaaggcc agctaagcca cctgtggtgg acaggtcctt 720 gaaacctgga gcactgagca actcagaaag tattcccaca atcgatggat tgcgccatgt 780 ggtggtgcct gggcggctgt gcccacagtt tctccagtta gccagtgcca acactgcccg 840 gggagtggag acatgtggaa ttctctgtgg aaaactgatg aggaatgaat ttaccattac 900 ccatgttctc atccccaagc aaagtgctgg gtctgattac tgcaacacag agaacgaaga 960 agaacttttc ctcatacagg atcagcaggg cctcatcaca ctgggctgga ttcatactca 1020 ccccacacag accgcgtttc tctccagtgt cgacctacac actcactgct cttaccagat 1080 gatgttgcca gagtcagtag ccattgtttg ctccccaag ttccaggaaa ctggattctt 1140 taaactaact gaccatggac tagaggagat ttcttcctgt cgccagaaag gatttcatcc 1200 acacagcaag gatccacctc tgttctgtag ctgcagccac gtgactgttg tggacagagc 1260 agtgaccatc acagaccttc gatgagcgtt tgagtccaac accttccaag aacaacaaaa 1320 ccatatcagt gtactgtagc cccttaattt aagctttcta gaaagctttg gaagtttttg 1380 15 tagatagtag aaaggggggc atcacctgag aaagagctga ttttgtattt caggtttgaa 1440° aagaaataac tgaacatatt ttttaggcaa gtcagaaaga gaacatggtc acccaaaagc 1500 aactgtaact cagaaattaa gttactcaga aattaagtag ctcagaaatt aagaaagaat 1560 ggtataatga acccccatat acccttcctt ctggattcac caattgttaa cattttttc 1620 ctctcagcta tccttctaat ttctctctaa tttcaatttg tttatattta cctctgggct 1680 20 caataagggc atctgtgcag aaatttggaa gccatttaga aaatcttttg gattttcctg 1740 tggtttatgg caatatgaat ggagcttatt actggggtga gggacagctt actccatttg 1800 accagattgt ttggctaaca catcccgaag aatgattttg tcaggaatta ttgttattta 1860 ataaatattt caggatattt ttcctctaca ataaagtaac aattaactta 1910

25 <210> 3

5

10

<211> 424

<212> PRT

<213> mouse

	<400	> 3														
	Met	Ser	Asp	His	Gly	Asp	Val	Ser	Leu	Pro	Pro	Gln	Asp	Arg	Val	Arg
	1				5					10					15	
	He	Leu	Ser	GIn	Leu	Gly	Ser	Ala	Val	Glu	Leu	Asn	Glu	Asp	He	Pro
5				20					25					30		
	Pro	Arg	Arg	Tyr	Tyr	Arg	Ser	Gly	Val	Glu	He	11e	Arg	Met	Ala	Ser
			35					40					45			
	Val	Tyr	Ser	Glu	Glu	Gly	Asn	He	Glu	His	Ala	Phe	lle	Leu	Tyr	Asn
		50					55					60				
10	Lys	Tyr	He	Thr	Leu	Phe	lle	Glu	Lys	Leu	Pro	Lys	His	Arg	Asp	Tyr
	65					70					75					80
	Lys	Ser	Ala	He	lle	Pro	Glu	Lys	Lys		Ala	Val	Lys	Lys		Lys
					85					90					95	
	Ser	Val	Ala		Pro	Lys	Ala	Glu		Leu	Lys	Thr	Glu		Leu	Arg
15				100					105			_	_	110		0.1
	Arg	Tyr			Glu	Tyr	Glu		Tyr	Lys	Glu	Arg			Lys	Glu
			115				_	120			0.1	0.1	125		01	
	Glu		Glu	Leu	Ala	Arg	Asn	He	Ala	He	Gin			Leu	Glu	Lys
		130					135	0.1		01		140		٥١	C.L.	C1
20			Gin	Arg	Vai		Gln	GIN	Lys	Gin			Leu	GIU	GIN	
	145		111.	41.	DL.	150			116	CI.	155		C1	رام ا	C L.	160
	Gin	Pne	HIS	Ala			GIU	Met	iie	170		GIII	GIU	Leu	175	Lys
	CI.	. A	بيما	میداد	165		Cln	C I	Dha			Val	Acn	Dro		Pro
œ	GIU	Arg	Leu	180		vai	GIII	GIU	185		Lys	Vai	ASP	190		110
25	Cum	Clv	Dro			. Dro	Acn	ىرم ا			Pro	Cve	Val			Ala
	U y S	uly	195		ւեն	1 110	, vsh	200		. .		. 0,3	205			, iiu
	Pro	Sar			Pha	Ser	Pro			Thr	Pro	Asn			Thr	Gly
	116	, 061	001			, 561			٠.,				2,0			

		210					215					220				
	Met	Arg	Pro	Ala	Lys	Pro	Pro	Val	Val	Asp	Arg	Ser	Leu	Lys	Pro	Gly
	225					230					235					240
	Ala	Leu	Ser	Val	lle	Glu	Asn	Val	Pro	Thr	He	Glu	Gly	Leu	Arg	His
5					245					250					255	
	He	Val	Val	Pro	Arg	Asn	Leu	Cys	Ser	Glu	Phe	Leu	Gln	Leu	Ala	Ser
				260					265					270		
	Ala	Asn	Thr	Ala	Lys	Gly	He	Glu	Thr	Cys	Gly	Val	Leu	Cys	Gly	Lys
			275					280					285			
10	Leu	Met	Arg	Asn	Glu	Phe	Thr	lle	Thr	His	Val	Leu	He	Pro	Arg	Gin
		290					295					300				
	Asn	Gly	Gly	Pro	Asp	Tyr	Cys	His	Thr	Glu	Asn	Glu	Glu	Glu	lle	Phe
	305					310					315					320
	Phe	Met	Gln	Asp	Asp	Leu	Gly	Leu	Leu	Thr	Leu	Gly	Trp	Пe	His	Thr
15					325					330					335	
	His	Pro	Thr	Gln	Thr	Ala	Phe	Leu	Ser	Ser	Val	Asp	Leu	His	Thr	His
				340					345					350		
	Cys	Ser	Tyr	Gln	Met	Met	Leu	Pro	Glu	Ser	lle	Ala	He	Val	Cys	Ser
			355					360					365	i		
20	Pro	Lys	Phe	Gln	Glu	Thr	Gly	Phe	Phe	Lys	Leu	Thr	Asp	Tyr	Gly	Leu
		370	1				375					380)			
	Gln	Glu	lle	Ser	Thr	Cys	Arg	Gln	Lys	Gly	Phe	His	Pro	His	Gly	Arg
	385)				390)				395	· •				400
	Asp	Pro	Pro	Leu	ı Phe	e Cys	Asp	Cys	Ser	His	. Val	Thr	Val	Lys	Asp	Arg
25					405	5				410)				415	5
	He	· Val	Thr	' He	. Thr	Asp	Leu	Arg	5							
				420)											
	(21	ins /	1													

<211> 1384 ...

<212> DNA

<213> homosapiens

<221> CDS

5 〈222〉 56. . 1327

<400> 4

10

15

20

25

gtgacgtttc cggaagctct gactgtcatc cttcacgaaa gaacttattt gtccaatgtc 60 tgaccatggg gatgtgagcc tcccaccca agaccgggtg aggattctgt cccaacttgg 120 gagtgcagtt gagttaaatg aagacattcc accccgtcgc tactaccgct ccggtgttga 180 gatcatccgc atggcgtccg tttactcgga agaaggcaac attgaacatg cctttatcct 240 ctacaacaag tacatcacgc tgtttattga aaaacttccg aaacaccgag actacaaatc 300 agctatcatt cctgagaaga aagatgctgt caagaaatta aagagcgtcg ctttccctaa 360 agcggaagag ctgaagacag agctcttgag aagatacacc aaagaatatg agcagtataa 420 agagcgaaag aaaaaggaag aagaggaact tgcccgaaat atcgccatcc agcaagagtt 480 ggaaaaagaa aaacagaggg ttgctcagca gaagcagaag cagctagagc aggagcaatt 540 ccatgccttt gaggagatga tccagaggca ggagctggaa aaagaacggc tgaaaattgt 600 tcaagagttc gggaaggtag accetggccc ctgcgggcct ctgctccctg atctggaaaa 660 gccttgtgta gatgtggccc ccagctcacc gttctcgccc acgcagactc cagactgtaa 720 cacaggcatg aggccagcta agccacctgt ggtggacagg tccctgaaac ctggagcgtt 780 aagcgtcata gaaaatgttc ccaccattga aggcctgcgc cacatcgtgg tgccccgtaa 840 tctgtgctca gaatttctcc agcttgccag tgccaatacc gccaaaggca ttgaaacctg 900 tggagtcctc tgtggaaaac tgatgagaaa tgaattcaca atcacacatg ttctcatccc 960 cagacaaaat ggtgggcctg attattgcca cacggagaat gaagaagaaa ttttctttat 1020 gcaggatgac cttggactcc tcactcttgg ctggatccat actcatccaa cccaaacggc 1080 ctttctgtcc agtgtggatc tccacactca ctgctcctac caaatgatgt taccagagtc 1140 catcgcaatc gtctgttccc caaagttcca ggaaactgga ttctttaagc taactgacta 1200 tggtcttcaa gagatttcaa cctgccggca gaaaggcttt cacccccatg gcagagaccc 1260 accgctgttc tgtgactgca gccatgtcac tgtcaaggac agaattgtga cgatcacaga 1320

ccttcgataa	atctcaaatc	atgaaccagg	gagatggatc	actgggtaac	agcacttgtc	1380
acca						1384

Full Name of Sixth Inventor	FAMILY NAME	FIRST GIVEN NAME	SECOND GIVEN NAME	
Residence & Citizenship	СІТУ	STATE OR COUNTRY	COUNTRY OF CITIZENSHIP	
Post Office Address	ADDRESS	СІТУ	STATE OR COUNTRY ZIP CODE	

I further declare that all statements made herein of my own knowledge are true, and that all statements on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

1st Inventor	Date	June	22,	2001
Kazuo SUGAMURA — 2nd Inventor NOGyuki Taraka	_ Date .	June	22,	2001
Nobuyuki TAÑAKA 3rd Inventor				
4th Inventor				
5th Inventor	_ Date			
6th Inventor	_ Date			
		•		
The above application may be more particularly identified as follows:				
U.S. Application Serial No Filing Date May 10, 200	<u>)1</u>			
Applicant Reference Number 99-F-054PCT-US/YS Atty Docket No. 2001 0572	<u>A</u>			
Title of Invention PROTEIN AMSH AND cDNA THEREOF				